



PHILIPPINE NOTICES TO MARINERS

**Monthly Edition No.: 2024-01
01 January 2024**

Notices Nos.: 001 to 003

CONTENTS

- I Index of Charts Affected
 - II Chart Corrections
 - III Temporary & Preliminary Notices
 - IV List of Lights Corrections
 - V Coast Pilot Corrections
 - VI Navigational Warnings
 - VII Publication Notices
-

Published by
National Mapping and Resource Information Authority
Hydrography Branch
421 Barraca St, San Nicolas, 1010 Manila

Tel: (632) 8241-3494 to 98
Email: csu.hb@namria.gov.ph (NAMRIA Client Service Unit)
Website: www.namria.gov.ph

MARITIME AFFAIRS DIVISION
Maritime Spatial and Safety Information Service

Editorial Board 2024

Editor-In-Chief:
LCDR LORENA JASMIN D LERIO

Supervising Editor:
P/ENS AILYN G ATIENZA

Verifier:
HERMIELYN C. SAGUCIO

Compilers:
SN3 ANJANETTE A CRUCIS
SN3 RHEAN MARK A MONILLA
ROVILLA R. QUIMING
TERESITA B. SARMIENTO
MARY JOY E. SIOTING

THE PHILIPPINE NOTICES TO MARINERS is a monthly publication produced by the National Mapping and Resource Information Authority (NAMRIA). It contains the recent chart correction data, updates to nautical publications, and other information that is vital for the safety of navigation on Philippine waters.

Copies in digital format may be obtained by sending a request through the e-mail address maritime.affairs@namria.gov.ph or by downloading at the NAMRIA website: <http://www.namria.gov.ph/download.php#publications>.

Masters of vessels and other concerned are requested to advance any report of dangers to navigation and other information affecting Philippine Charts and Coast Pilots which may come to their attention to the ***Director, Hydrography Branch***. If such information warrants urgent attention for instance the non-existence of aids to navigation or failure of light beacons or similar structures or discovery of new shoals, all concerned are requested to contact NAMRIA directly through the following portals:

Mail	NAMRIA Hydrography Branch, 421 Barraca St San Nicolas, 1010 Manila, Philippines
E-mail	maritime.affairs@namria.gov.ph
Landline	(+632) 8245-0295

The Hydrographic Note form on the back-cover page of this publication must be used in reporting information on dangers to navigation, lighted aids, and other features that should be included in the nautical charts.

Subscribe to the **Philippine Online Maritime Safety Information System (OMSIS)**, <http://namria.gov.ph/omsis/landing.aspx> to access the Nautical Chart Corrections Service (e-NCC), Cumulative List of Notices to Mariners, and online Hydrographic Notes (e-HNote).


Active navigational warnings are accessible at <https://staging.geoportal.gov.ph/nwapp/>

EXPLANATORY NOTES

1. The Philippine Notices to Mariners is divided into the following sections:

Section I. Index of Charts Affected – Contains the list of all nautical charts which have been affected by Notices to Mariners and the Notice Numbers which have affected them.

Section II. Chart Corrections - Contains corrections to nautical charts in sequential numbers with the indication of the month and year of its issuance. The illustration below describes the elements that comprise a typical notice:



Notice No. preceded by an asterisk “ * ” indicates that the information is based upon the original Philippine source.

Section III. Temporary & Preliminary Notices – Contains Notices to Mariners that temporarily affect the nautical charts or have preliminary information that is subject to further verification. The capital “P” or “T” affixed in the number of any notice denotes “*preliminary*” or “*temporary*”, respectively.

A list of Temporary and Preliminary Notices that are still in force, as well as those that are canceled, is published in this publication every month. The list may be read on page v.

Section IV. List of Lights Corrections – Contains the corrections to the latest edition of the Philippine List of Lights. The entire entry for each light will be printed and the columns that contain updates will be denoted by an asterisk “ * ”. All columns will be denoted by asterisks in the case of new lights.

This section is intended to be cut out and pasted on the section of the List of Lights that is being corrected.

All updates to lighted aids, including their operational status, will be published in this section. All directions and bearings are measured clockwise from true the North 000° to 360°. Bearing on lights is based on the observer from seaward toward the light. The visibility assigned to the lights never exceeds the calculated distance at which they can be seen from a height of 4.57 meters above the level of the water at high tide.

Changes in aids to navigation, their maintenance, and correction of deficiencies in operation are under the operation of the Philippine Coast Guard. Report of defects and recommendations concerning aids to navigation should be forwarded to the Commandant of the Philippine Coast Guard.

Section V. Coast Pilot Corrections – Contains the corrections to the latest edition of the Philippine Coast Pilot book.

Section VI. Navigational Warnings – Contains the reprints of all previously issued navigational warnings that are still in effect as of the publication date of this edition of the Philippine Notices to Mariners.

Section VII. Publication Notices – Contains the latest updates on the nautical charts, electronic navigational charts, and other nautical publications of NAMRIA.

2. NAMRIA issues Notices to Mariners and Navigational Warnings sourced from private entities, foreign publications, national government agencies, and local government units. Such information is published for the sake of the safety of navigation on Philippine waters and does not imply recognition of the legal validity of the information issued by the abovementioned sources.
3. While every effort is made to ensure the accuracy of NAMRIA nautical charts and publications, users should bear in mind that it may not be complete or up-to-date, especially in areas where there are extensive developments. Mariners are advised to exercise prudence and to also refer to all navigational equipment aboard the ship and use a lookout during navigation.
4. Masters of vessels are warned that great care should be exercised in navigating Philippine waters because of the low visibility and occasional failure of some navigational lights. Buoys and beacons are sometimes lost or destroyed, especially after typhoons. Temporary deficiencies in the standard aids to navigation published in this office may have been corrected before subsequent notice is issued.
5. Positions obtained from satellite navigation systems, such as GPS, are normally referred to the WGS-84 Datum. Such position may only be plotted on NAMRIA nautical charts that are also referred to the WGS-84 Datum. Mariners should take note that due to the age and quality of some of the information, such satellite-derived positions may be more accurate than charted details.

List of Temporary and Preliminary Notices

(in force as of 31 January 2024)

- 09(114)P/23 LUZON. S. Coast, Batangas Bay - Terminal
- 03(049)T/23 LUZON, W. Coast, Manila Bay - Buoy
- 03(048)T/23 PALAWAN, E. Coast, off Miniloc island - Buoy
- 03(047)T/23 BOHOL, W. COAST, Dawahon Bank – Light
- 02(032)T/23 PALAWAN, N. Coast, Coron Bay – Buoy
- 02(031)T/23 LUZON, W. Coast, Manila Bay – Buoy
- 01(019)T/23 LUZON, W. Coast, Manila Bay - Buoy
- 12(077)T/22 MASBATE, NORTH COAST, Masbate Harbor - Beacon
- 09(040)T/22 LUZON, W. COAST, Manila Bay – Buoy
- 07(032)T/22 LUZON, W. COAST, Manila Bay – Buoy
- 07(031)T/22 LUZON, W. COAST, Manila Bay – Buoy
- 05(022)T/22 LUZON, W. COAST, Manila Bay – Buoy
- 02(006)T/22 LUZON, W. COAST, Manila Bay – Buoys
- 04(023)P/19 MINDANAO,N. COAST, Iligan Bay – Buoy
- 02(014)P/17 MINDANAO,N. COAST, Butuan Bay – Submarine Pipeline

TABLE OF CONTENTS

Index of Charts Affected - - - - -	01
Chart Corrections - - - - -	02
Temporary & Preliminary Notices - - - - -	04
List of Lights Corrections - - - - -	05
Coast Pilot Corrections - - - - -	06
Navigational Warnings - - - - -	07
Publication Notices - - - - -	15

INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Chart No.	Notice No.	Chart No.	Notice No.	Chart No.	Notice No.
1518	01(001)24	2200	01(003)24	4707	01(002)24	PH2CVZ40	01(001)24
1519	01(001)24	4604	01(003)24	4708	01(002)24 01(003)24	PH2CMN40	01(001)24 01(003)24
1528	01(002)24	4605	01(002)24 01(003)24	5010	01(002)24	PH2SSA40	01(002)24
1535	01(003)24	4645	01(002)24				
1537	01(001)24						

II

CHART CORRECTIONS

***01(001)24 – LEYTE, S. Coast - Legend**

Chart 1518 2Ed 11/29/2021 [WGS84 Datum] Last NM 06(035)21
 Replace legend, Kanipaan with Canipaan at 10° 24.47'N 125° 10.55' E

Chart 1519 2Ed 09/30/2021 [WGS84 Datum] Last NM 12(127)23	
Replace Legend, Kanipaan with Canipaan	at 10° 24.44'N 125° 10.42'E
Replace Legend, Manglit with Son-ok	at 09° 57.91'N 125° 14.26'E
Replace Legend, Oticon with Otikon	at 10° 19.48'N 125° 02.60'E
Replace legend, Pangyam with Panian	at 10° 17.04'N 125° 06.33'E
Replace Legend, Pilakan with San Ramon	at 10° 01.80'N 125° 14.46'E
Replace Legend, Loog with Garrido	at 10° 15.33'N 125° 11.66'E
Replace Legend, Longsoddaan with Lungsodaan	at 10° 21.36'N 125° 13.83'E

Chart 1537 2Ed 12/20/2022 [WGS84 Datum] Last NM 12(127)23	
Replace Legend, Kanipaan with Canipaan	at 10° 24.84'N 125° 10.46'E
Replace Legend, Manglit with Son-ok	at 09° 57.91'N 125° 14.26'E
Replace Legend, Oticon with Otikon	at 10° 19.48'N 125° 02.60'E
Replace legend, Pangyam with Panian	at 10° 17.04'N 125° 06.33'E
Replace Legend, Pilakan with San Ramon	at 10° 01.81'N 125° 14.55'E
Replace Legend, Loog with Garrido	at 10° 15.33'N 125° 11.69'E
Replace Legend, Longsoddaan with Lungsodaan	at 10° 21.36'N 125° 13.83'E

ENCs Affected: PH2CMN40, PH2CVZ40
 (PSA Philippine Standard Geographic Code; HD 712/23, 013, 017, 027, 030/24)

***01(002)24 – MINDANAO, W. COAST, Basilan Strait - Light**

Chart 1528 1Ed 06/28/2017[WGS84 Datum]
 Amend characteristics of Little Sta. Cruz light from Fl(3)5s16m20M to Fl(3)15s16m10M at 06°53.07'N 122°02.54'E

Chart 4605 2Ed 01/2006 [Luzon Datum] Last NM 04(017)19
 Amend characteristics of Little Sta. Cruz light from Fl(3)15s16m20M to Fl(3)15s16m10M at 06°53.15'N 122°02.47'E

Chart 4645 1Ed 03/10/1958 Rev 05/03/1976 [Luzon Datum] Last NM 09(205)16
 Amend characteristics of Little Sta. Cruz light from Fl.5s to Fl(3)15s16m10M at 06°53'09.0"N 122°02'28.0"E

Chart 4707 2Ed 11/2010 [WGS84 Datum] Last NM 11(122)23
 Amend characteristics of Little Sta. Cruz light from Fl.5s to Fl(3)15s16m10M at 06°53.1'N 122°02.5'E

Chart 4708 2Ed 11/2010 [WGS84 Datum] Last NM 12(129)23
 Amend characteristics of Little Sta. Cruz light from Fl(3)15s16m20M to Fl(3)15s16m10M at 06°53.1'N 122°02.5'E

Chart 5010 1Ed 06/30/2022 [WGS84 Datum]
 Amend characteristics of Little Sta. Cruz light from Fl.15s16m20M to Fl(3)15s16m10M at 06°53.1'N 122°02.5'E

ENC's Affected: PH2SSA40
 (Email from UKHO; HD 022/24)

***01(003)24 – DIPOLOG TO LILOY, Sulu Sea – Submarine cable**

Chart 1535 1Ed 02/12/2012 [WGS-84 Datum] Last NM 07(084)23
 Insert  joining 08°34.75'N 123°20.12'E

08°34.61'N 123°18.85'E

08°35.14'N 123°16.80'E

08°35.33'N 123°14.74'E

08°35.44'N 123°09.54'E

08°34.78'N 123°05.05'E

08°33.21'N 123°01.64'E

08°30.00'N 122°58.53'E

II CHART CORRECTIONS

***01(003)24 – DIPOLOG TO LILOY, Sulu Sea – Submarine cable**

(continued)

08°22.67'N 122°54.29'E
08°20.41'N 122°51.90'E

Chart 2200 1Ed 08/28/2020 [WGS-84 Datum] Last NM 12(129)23

Insert



joining

08°34.8'N 123°20.1'E
08°35.4'N 123°09.5'E
08°33.2'N 123°01.6'E
08°22.7'N 122°54.3'E
08°16.3'N 122°50.3'E
08°07.3'N 122°41.0'E

Chart 4604 1Ed 04/30/1956 Rev 01/07/1985 [Luzon Datum] Last NM 12(129)23

Insert



joining

08°34.83'N 123°20.05'E
08°34.69'N 123°18.77'E
08°35.22'N 123°16.73'E
08°35.41'N 123°14.67'E
08°35.52'N 123°09.46'E
08°34.85'N 123°04.98'E
08°33.29'N 123°01.57'E
08°30.07'N 122°58.45'E
08°24.13'N 122°55.01'E

Chart 4605 2Ed 08/1957 Rev 01/2006 [Luzon Datum] Last NM 04(017)19

Insert



joining

08°34.40'N 123°03.99'E
08°33.29'N 123°01.57'E
08°30.07'N 122°58.45'E
08°22.75'N 122°54.22'E
08°20.49'N 122°51.83'E
08°16.42'N 122°50.24'E
08°09.57'N 122°45.63'E
08°07.39'N 122°40.97'E

Chart 4708 2Ed 11/2010 [WGS-84 Datum] Last NM 12(129)23

Insert



joining

08°34.8'N 123°20.1'E
08°35.3'N 123°14.7'E
08°35.4'N 123°09.5'E
08°34.8'N 123°05.1'E
08°33.2'N 123°01.6'E
08°30.0'N 122°58.5'E
08°22.7'N 122°54.3'E
08°20.4'N 122°51.9'E
08°16.3'N 122°50.3'E
08°09.5'N 122°45.7'E
08°07.3'N 122°41.0'E

ENC's Affected: PH2CMN40

(Owned by Globe, Eastern Telecom PI and Infinivan; HD 656/22)

III
TEMPORARY AND PRELIMINARY NOTICES

No Temporary or Preliminary Notice for this month.

IV

LIST OF LIGHTS CORRECTIONS

LIGHTHOUSES

NUMBER (1)	NAME (2)	POSITION (3)	CHARACTERISTICS (4)	Elev(m) (5)	Range (NM) (6)	STRUCTURE (7)	REMARKS (8)
REGION IX – ZAMBOANGA PENINSULA							
ZAMBOANGA del SUR							
0636	F2218	LITTLE STA. CRUZ	06 53 04 N 122 02 32 E	Fl(3)15s	16	10	Steel, white framework tower, 16 Partially obscured by Great Santa Cruz Island

Note: Asterisk (*) indicates new information in the column above it

V
COAST PILOT CORRECTIONS

Philippine Coast Pilot, 7th Ed. Volume II

Chapter 7 – MINDANAO ISLAND

Page 7-34, right column, line 15. (06°53'04"N 122°02'32"E in WGS84) is displayed from a steel-
Replace:

Page 7-26, right column, line 28. **CAUTION** - Submarine telecommunication cables exist in the coast
Insert: of Municipality of Liloy. Anchoring and fishing are prohibited in the
vicinity of the submarine cables.

VI NAVIGATIONAL WARNINGS

*See all active Navigational Warnings at
<https://staging.geoportal.gov.ph/nwapp/>*

**NAVPHIL 234/21 – LUZON, W. COAST,
MANILA BAY – DREDGING WORKS**
BOSKALIS PHILIPPINES INC UTILIZING
VARIOUS VESSELS AND EQUIPMENT, IS
CONDUCTING DREDGING WORKS UNTIL
APRIL 2025 OFF THE SHORES OF MANILA
AND PASAY WITHIN THE AREA BOUNDED BY
THE FOLLOWING COORDINATES:

14-31-58N 120-53-40E
14-33-34N 120-56-56E
14-33-33N 120-58-08E
14-33-04N 120-58-09E
14-32-08N 120-56-10E.
CANCEL THIS NAVIGATIONAL WARNING ON
01 MAY 2025.

**NAVPHIL 015/22 – LUZON W. COAST, MANILA
BAY – SURVEY WORKS**
BOSKALIS PHILIPPINES, INC UTILIZING
“ETHELINA VII” IS CONDUCTING SURVEY
ACTIVITIES OFF PASAY CITY IN MANILA BAY
FROM 27 JANUARY 2022 TO 30 APRIL 2025 IN
THE AREA BOUNDED BY THE FOLLOWING
COORDINATES:
14-31-58N 120-53-40E
14-33-34N 120-56-56E
14-33-32N 120-58-08E
14-32-33N 120-58-08E
14-31-34N 120-56-56E
14-32-11N 120-55-51E.
CANCEL THIS NAVIGATIONAL WARNING ON
01 MAY 2025.

**NAVPHIL 172/22 – LUZON, W. COAST,
MANILA BAY – DREDGING WORKS**
SAN MIGUEL AEROCITY, INC UTILIZING
VARIOUS FOREIGN AND LOCAL VESSELS, IS
CONDUCTING DREDGING WORKS AT SAN
NICOLAS SHOAL UNTIL DECEMBER 2024
WITHIN THE AREA WITH THE FOLLOWING
DETAILS:
14-26-54N 120-46-48E
14-26-54N 120-48-42E
14-26-08N 120-49-23E
14-20-58N 120-43-34E
14-20-57N 120-41-44E.
CANCEL THIS NAVIGATIONAL WARNING ON
01 JANUARY 2025.

**NAVPHIL 197/22 – LUZON W. COAST,
MANILA BAY – DREDGING AND
RECLAMATION**
BEN LINE AGENCIES PHILIPPINES INC
UTILIZING MULTIPLE VESSELS, IS
CONDUCTING DREDGING AND LAND
RECLAMATION WORKS UNTIL APRIL 2025

OFF THE SHORES OF THE CITIES OF PASAY
AND MANILA IN THE AREA BOUNDED BY THE
FOLLOWING COORDINATES:

14-31-58N 120-53-40E
14-33-34N 120-56-56E
14-33-33N 120-58-08E
14-33-04N 120-58-09E
14-32-08N 120-56-10E.
CANCEL THIS NAVIGATIONAL WARNING ON
01 MAY 2025.

NAVPHIL 172/23
LUZON W. COAST
MANILA BAY.
CHART 1501 (INT 4491).
DREDGING AND RECLAMATION OPERATION
IN PROGRESS AREAS BOUNDED BY:
A. 14-33-52N 120-56-54E
14-33-09N 120-57-24E
14-33-47N 120-58-38E
14-33-58N 120-58-47E
14-34-16N 120-58-47E
14-34-38N 120-58-49E
14-34-57N 120-58-15E,
B. 14-19-29N 120-38-21E
14-19-16N 120-38-09E
14-17-41N 120-38-24E
14-18-00N 120-41-32E
14-21-00N 120-45-29E
14-21-00N 120-44-38E
14-19-36N 120-43-00E,
C. 14-34-20N 120-58-17E
14-33-59N 120-58-19E
14-33-51N 120-58-29E
14-33-48N 120-58-16E
14-33-52N 120-58-14E
14-33-56N 120-58-10E
14-34-13N 120-58-01E.
THIS CANCELS NAVPHIL 003/23, 007/23,
012/23, 035/23, 036/23, 051/23, 129/23.

NAVPHIL 225/23
CENTRAL LUZON.
LAGUNA DE BAY.
CHART 4230.
HYDROGRAPHIC SURVEY AND SUBMARINE
PIPE LAYING COMENCING ON
10 JUL 23 UNTIL FURTHER NOTICE IN AREA
BOUNDED BY:
14-31-27N 121-05-50E
14-31-06N 121-06-37E
14-30-37N 121-07-08E
14-27-43N 121-08-57E
14-25-40N 121-10-15E
14-25-35N 121-10-38E
14-25-47N 121-10-58E
14-25-56N 121-11-10E
14-26-02N 121-11-28E
14-26-03N 121-11-38E

VI NAVIGATIONAL WARNINGS

14-26-07N 121-11-52E
14-26-09N 121-12-02E
14-25-52N 121-12-44E
14-25-47N 121-12-42E
14-26-04N 121-12-02E
14-26-03N 121-11-53E
14-25-58N 121-11-40E
14-25-57N 121-11-29E
14-25-52N 121-11-12E
14-25-43N 121-11-01E
14-25-30N 121-10-39E
14-25-36N 121-10-12E
14-27-41N 121-08-53E
14-30-34N 121-07-04E
14-31-02N 121-06-34E
14-31-23N 121-05-48E.
CANCEL THIS MSG 11 JUL 24.

NAVPHIL 239/23

LUZON W. COAST.

MANILA BAY.

CHART 1501(INT 4491).

WRECK REMOVAL OPERATION IN PROGRESS IN AREA BOUNDED BY:

14-33-56N 120-58-09E
14-33-52N 120-58-12E
14-33-51N 120-58-09E
14-33-47N 120-57-58E
14-33-51N 120-57-56E
14-33-54N 120-58-07E.

NAVPHIL 251/23

LUZON SW. COAST.

APO EAST PASS.

CHART 1552.

DREDGING ACTIVITY IN PROGRESS IN AREA BOUNDED BY:

12-30-40N 120-55-48E
12-30-33N 120-55-37E
12-30-34N 120-55-32E
12-30-45N 120-55-31E
12-30-45N 120-55-16E
12-30-07N 120-55-19E
12-30-08N 120-55-36E
12-30-19N 120-55-31E
12-30-24N 120-55-43E
12-30-32N 120-55-52E.

NAVPHIL 260/23

LUZON W. COAST.

SUBIC BAY.

CHART 1501 (INT 4491).

SAND LOADING OPERATION IN PROGRESS FROM 14-51-32N 120-12-19E TO 14-49-02N 120-17-37E.

NAVPHIL 263/23

LUZON W. COAST.

MANILA BAY AND LUZON SEA.

CHART 1501,1502 (INT 4491).

DREDGING AND RECLAMATION OPERATIONS IN PROGRESS IN AREA BOUNDED BY:

MANILA BAY

14-33-33N 120-58-38E
14-33-25N 120-58-10E
14-33-01N 120-57-14E
14-32-04N 120-57-08E
14-32-02N 120-54-12E
14-31-40N 120-54-12E
14-31-41N 120-57-09E
14-31-34N 120-57-35E
14-31-37N 120-58-45E,

SAND EXTRACTION OPERATIONS IN PROGRESS IN AREAS BOUNDED BY:

BOTOLAN

15-16.00N 120-00.65E
15-15.10N 120-00.92E
15-15.85N 120-00.95E
15-15.70N 120-00.93E
15-15.52N 120-00.85E
15-15.52N 120-00.65E,

SAN FELIPE

15-03-48N 120-02-34E
15-03-57N 120-03-21E
15-04-24N 120-03-20E
15-04-57N 120-03-15E
15-06-32N 120-02-48E
15-06-43N 120-02-18E
15-06-07N 120-02-10E
15-04-07N 120-02-31E,

SAN FELIPE

15-05-48N 120-02-48E
15-05-43N 120-02-52E
15-06-16N 120-03-13E
15-06-18N 120-03-08E,

SAN ANTONIO

14-56-55N 120-03-12E
14-56-52N 120-03-28E
14-56-47N 120-03-27E
14-56-50N 120-03-11E.

THIS CANCELS NAVPHIL 023/23, 114/23.

NAVPHIL 282/23

ROMBLON N. COAST

ROMBLON PASSAGE.

CHART 1544.

SUBMARINE CABLE REPAIR BY CS VEGA, 1706 TONS, IN PROGRESS AT 12-37-04N 122-07-38E. WIDE BERTH REQUESTED.

VI NAVIGATIONAL WARNINGS

NAVPHIL 325/23 LUZON W. COAST. MANILA BAY. CHART 1501 (INT 4491). GEOPHYSICAL AND GEOTECHNICAL SURVEY BY R/S BINH MINH, 1624 TONS, IN PROGRESS IN AREA BOUNDED BY: 14-26-55N 120-35-49E 14-20-47N 120-46-42E 14-19-03N 120-43-28E 14-23-08N 120-37-01E 14-26-05N 120-35-00E. 700 METERS BERTH REQUESTED.	14-35.42N 120-21.08E 14-35.91N 120-18.03E 14-36.91N 120-17.58E 14-37.42N 120-17.58E 14-37.42N 120-20.58E 14-36.91N 120-22.08E 14-35.42N 120-22.08E 14-34.91N 120-23.08E 14-32.42N 120-22.58E 14-29.91N 120-22.08E 14-29.91N 120-22.58E 14-26.91N 120-23.58E 14-25.91N 120-26.58E 14-23.91N 120-29.58E 14-23.91N 120-30.00E 14-23.91N 120-33.08E 14-23.66N 120-32.85E 14-23.37N 120-32.63E 14-23.28N 120-32.53E 14-23.25N 120-32.43E 14-23.23N 120-32.27E 14-23.27N 120-32.13E 14-23.30N 120-31.98E 14-23.42N 120-31.83E 14-23.48N 120-31.63E 14-23.52N 120-31.42E 14-23.52N 120-31.20E 14-23.43N 120-30.90E 14-23.33N 120-30.70E 14-23.11N 120-30.52E 14-22.90N 120-30.38E 14-22.73N 120-30.33E 14-22.47N 120-30.33E 14-22.17N 120-30.40E 14-21.95N 120-30.52E 14-21.76N 120-30.72E 14-21.60N 120-31.02E 14-21.53N 120-31.30E 14-21.55N 120-31.53E 14-21.65N 120-31.82E 14-21.82N 120-32.06E 14-22.18N 120-32.33E 14-22.28N 120-32.48E 14-22.28N 120-32.90E 14-22.18N 120-33.06E 14-22.15N 120-33.08E 14-18.91N 120-33.08E 14-18.91N 120-22.08E 14-23.42N 120-22.08E 14-23.42N 120-15.08E 14-29.42N 120-15.08E. THIS CANCELS NAVPHIL 305/23.
NAVPHIL 332/23 CENTRAL PART COAST. LUZON SEA. CHART 4706. EXPLORATION ACTIVITIES BY SKANDI HAWK, 4508 TONS, IN PROGRESS AT A. 13-43.00N 121-03.50E, B. 12-25.40N 121-38.30E, C. 11-29.60N 119-13.50E. WIDE BERTH REQUESTED.	14-23.91N 120-30.00E 14-23.91N 120-33.08E 14-23.66N 120-32.85E 14-23.37N 120-32.63E 14-23.28N 120-32.53E 14-23.25N 120-32.43E 14-23.23N 120-32.27E 14-23.27N 120-32.13E 14-23.30N 120-31.98E 14-23.42N 120-31.83E 14-23.48N 120-31.63E 14-23.52N 120-31.42E 14-23.52N 120-31.20E 14-23.43N 120-30.90E 14-23.33N 120-30.70E 14-23.11N 120-30.52E 14-22.90N 120-30.38E 14-22.73N 120-30.33E 14-22.47N 120-30.33E 14-22.17N 120-30.40E 14-21.95N 120-30.52E 14-21.76N 120-30.72E 14-21.60N 120-31.02E 14-21.53N 120-31.30E 14-21.55N 120-31.53E 14-21.65N 120-31.82E 14-21.82N 120-32.06E 14-22.18N 120-32.33E 14-22.28N 120-32.48E 14-22.28N 120-32.90E 14-22.18N 120-33.06E 14-22.15N 120-33.08E 14-18.91N 120-33.08E 14-18.91N 120-22.08E 14-23.42N 120-22.08E 14-23.42N 120-15.08E 14-29.42N 120-15.08E.
NAVPHIL 333/23 PALAWAN NW. WEST PHILIPPINE SEA. CHART 1563. EXPLORATION ACTIVITIES BY SKANDI HAWK, 4508 TONS, IN PROGRESS ON AREA BOUNDED BY: 11-33.05N 118-53.30E 11-34.72N 118-52.32E 11-35.32N 118-53.30E 11-39.00N 118-53.33E 11-38.98N 118-56.93E 11-35.28N 118-56.85E. WIDE BERTH REQUESTED.	14-23.33N 120-30.70E 14-23.11N 120-30.52E 14-22.90N 120-30.38E 14-22.73N 120-30.33E 14-22.47N 120-30.33E 14-22.17N 120-30.40E 14-21.95N 120-30.52E 14-21.76N 120-30.72E 14-21.60N 120-31.02E 14-21.53N 120-31.30E 14-21.55N 120-31.53E 14-21.65N 120-31.82E 14-21.82N 120-32.06E 14-22.18N 120-32.33E 14-22.28N 120-32.48E 14-22.28N 120-32.90E 14-22.18N 120-33.06E 14-22.15N 120-33.08E 14-18.91N 120-33.08E 14-18.91N 120-22.08E 14-23.42N 120-22.08E 14-23.42N 120-15.08E 14-29.42N 120-15.08E.
NAVPHIL 340/23 LUZON W. COAST. LUZON SEA. CHART 1501(INT 4491). GEOTECHNICAL SURVEY AND VIBROCORING ACTIVITY BY MT CHRISTIANSSEN1, 181 TONS, IN PROGRESS IN AREAS BOUNDED BY: A.14-38.91N 120-14.08E 14-40.91N 120-14.08E 14-40.91N 120-14.58E 14-40.42N 120-15.58E 14-38.41N 120-17.58E 14-37.91N 120-17.58E 14-37.91N 120-17.08E 14-38.41N 120-16.08E, B.14-29.91N 120-20.58E 14-30.91N 120-20.58E 14-33.42N 120-21.08E	14-23.91N 120-32.33E 14-22.88N 120-32.48E 14-22.28N 120-32.90E 14-22.18N 120-33.06E 14-22.15N 120-33.08E 14-18.91N 120-33.08E 14-18.91N 120-22.08E 14-23.42N 120-22.08E 14-23.42N 120-15.08E 14-29.42N 120-15.08E. THIS CANCELS NAVPHIL 305/23.
NAVPHIL 345/23 CEBU E. COAST. CEBU HARBOR. CHART 1548. LIGHTBUOYS 10-20.65N 123-59.48E UNLIT	

VI NAVIGATIONAL WARNINGS

10-14.11N 123-53.40E UNLIT
10-20.65N 124-00.17E TEMPORARILY
REMOVED
10-14.48N 123-52.63E TEMPORARILY
REMOVED
10-14.10N 123-53.03E TEMPORARILY
REMOVED
10-18.65N 123-55.92E TEMPORARILY
REMOVED
10-16.37N 123 53.15E MISSING.

NAVPHIL 347/23
LUZON W. COAST.
MANILA BAY.
CHART 1501(INT 4491).
BUOY INSTALLATION COMMENCING ON 09
NOV 23 IN AREA BOUNDED BY:
14-34.76N 120-58.25E,
14-33.90N 120-58.57E,
14-33.70N 120-58.20E,
14-34.42N 120-57.80E.

NAVPHIL 348/23
LUZON SE. COAST.
MOMPOG PASS.
CHART 1542.
GEOTECHNICAL AND GEOPHYSICAL SURVEY
BY MV NORTHERN ICE, 140 TONS, IN
PROGRESS IN AREAS BOUNDED BY:
13-33.86N 121-59.44E
13-42.16N 122-08.46E
13-35.47N 122-12.42E
13-32.48N 122-06.19E
13-31.92N 122-02.26E.
WIDE BERTH REQUESTED.

NAVPHIL 362/23
LUZON, SOUTH.
LAGONOV GULF AND MASBATE I.
CHART 4706 (INT 5051).
A. LIGHT 13-17.50N 123-58.75E DESTROYED.
B. LIGHTS
13-59.11N 123-49.42E
11-52.32N 123-40.10E
11-55.17N 123-45.18E UNLIT.

NAVPHIL 363/23
LUZON, SOUTH.
PASIG RIVER.
CHART 4243 (INT 5602).
CONSTRUCTION WORKS IN PROGRESS IN
AREA BOUNDED BY:
14-35.43N 120-59.22E
14-35.40N 120-59.27E
14-35.40N 120-59.40E
14-35.43N 120-59.45E
14-35.35N 120-59.45E
14-35.36N 120-59.32E
14-35.37N 120-59.30E

14-35.40N 120-59.22E.
NAVPHIL 367/23
CEBU HARBOR.
LAPU-LAPU CITY, NW.
CHART 4446(INT 5732).
HYDROGRAPHIC SURVEY BY MB 510
FISHABOUT, 3.60 TONS, COMMENCING ON 22
NOV IN AREA BOUNDED BY:
10-18-24.35N 123-56-01.61E
10-18-37.30N 123-56-14.23E
10-18-28.93N 123-56-23.08E
10-18-22.49N 123-56-16.57E
10-18-23.97N 123-56-15.01E
10-18-22.47N 123-56-13.20E
10-18-20.73N 123-56-14.99E
10-18-16.56N 123-56-10.01E.

NAVPHIL 373/23
MANILA BAY.
CAVITE CITY, WEST.
CHART 1501(INT 4491).
GEOTECHNICAL AND BATHYMETRY SURVEY
BY MTUG ASC REMY, 133.56 TONS, AND
BARGE SY 607, 319.02 TONS, COMMENCING
ON 23 NOV IN AREA BOUNDED BY:
14-26.62N 120-52.51E
14-26.73N 120-52.16E
14-27.06N 120-51.36E
14-27.38N 120-51.44E
14-27.69N 120-50.44E
14-26.96N 120-50.25E
14-26.39N 120-52.03E
14-26.03N 120-51.90E
14-25.94N 120-52.14E.
WIDE BERTH REQUESTED.

NAVPHIL 377/23
MINDANAO SEA AND DAVAO GULF.
MINDANAO S. COAST.
CHART 2200.
CABLE LAYING BY M/TUG SEDAR 1, 132.22
TONS, IN PROGRESS IN AREA BOUNDED BY:
A. 07-02.45N 125-32.38E 07-02.45N 125-32.38E
07-02.42N 125-32.43E 07-02.37N 125-32.45E
07-02.32N 125-32.47E 07-02.25N 125-32.45E
07-02.15N 125-32.42E 07-01.77N 125-32.47E
07-01.08N 125-32.47E 06-60.17N 125-32.65E
06-58.18N 125-32.15E 06-57.43N 125-32.00E
06-56.65N 125-32.42E 06-55.78N 125-32.55E
06-55.35N 125-32.85E 06-52.53N 125-33.16E
06-51.07N 125-33.15E 06-47.53N 125-33.43E
06-46.58N 125-33.15E 06-45.17N 125-33.15E
06-44.40N 125-33.48E 06-43.10N 125-34.20E
06-42.65N 125-34.57E 06-42.07N 125-35.32E
06-39.77N 125-36.92E 06-38.22N 125-37.77E
06-36.32N 125-38.48E 06-34.92N 125-39.42E
06-33.28N 125-39.85E 06-29.75N 125-41.46E
06-27.47N 125-46.72E 06-21.02N 125-49.28E

VI NAVIGATIONAL WARNINGS

06-12.30N 125-52.93E 06-04.27N 125-55.47E
06-00.88N 125-56.30E 05-56.88N 125-56.42E
05-40.15N 125-50.60E 05-36.58N 125-49.85E
05-33.27N 125-51.62E 05-30.62N 125-54.52E
05-30.22N 125-58.12E,
B. 05-27.22N 125-58.00E 05-31.20N 126-01.58E
05-33.33N 126-05.25E 05-40.15N 126-10.97E
05-42.42N 126-14.73E 05-45.57N 126-17.53E
05-46.10N 126-20.48E 05-48.13N 126-24.57E
05-49.61N 126-26.28E 05-52.01N 126-28.53E
05-53.68N 126-30.25E 05-57.37N 126-32.30E
06-11.35N 126-50.27E 06-15.22N 126-53.56E
06-27.63N 127-08.17E 06-30.87N 127-19.25E
06-30.90N 127-35.17E 06-36.52N 127-50.13E
06-36.55N 127-59.22E 06-39.38N 128-05.58E
06-45.08N 128-08.67E 07-04.67N 128-39.47E
07-06.07N 128-45.38E 07-09.18N 128-50.13E
07-14.27N 128-53.87E 07-28.62N 129-05.85E
07-42.37N 129-28.45E 07-50.00N 129-34.60E
07-56.43N 129-38.23E 08-00.65N 129-44.98E
08-11.43N 129-51.28E 08-13.30N 129-54.10E,
C. 05-30.22N 125-58.12E 05-06.45N 125-30.63E
05-05.08N 125-25.23E 05-04.90N 125-14.32E
04-56.33N 124-26.23E 04-44.47N 124-03.93E
04-34.78N 123-51.58E 04-29.75N 123-39.50E
04-24.57N 123-04.35E 04-26.60N 122-16.67E
04-13.45N 121-54.62E.
HALF MILE BERTH ADVISED.

NAVPHIL 392/23

ILIGAN BAY.

OZAMIS CITY, E.

CHART 1535.

LIGHTBUOYS

08-09.28N 123-52.65E

08-08.75N 123-51.92E

08-08.23N 123-50.97E

08-07.91N 123-50.29E UNLIT.

NAVPHIL 396/23

PASIG RIVER.

CHART 4236 (INT 5601).

CONSTRUCTION WORKS IN PROGRESS
UNTIL 31 OCT 2024 IN AREA

BOUNDED BY:

14-35.7483N 120-58.8878E

14-35.7563N 120-58.8771E

14-35.7778N 120-58.9165E

14-35.7655N 120-58.9248E.

CANCEL NAVPHIL 314/22.

CANCEL THIS MESSAGE 01 NOV 24.

NAVPHIL 398/23

MANILA BAY.

CHART 1501.

DREDGING AND LAND DEVELOPMENT
OPERATIONS BY VARIOUS VESSELS
IN PROGRESS IN AREAS BOUNDED BY:

A.14-44.77N 120-50.23E

14-43.15N 120-52.22E
14-42.82N 120-53.86E
14-42.47N 120-53.73E
14-40.13N 120-49.10E
14-37.36N 120-45.68E
14-37.56N 120-45.09E
14-41.46N 120-47.34E
14-45.05N 120-48.10E,
B.14-20.96N 120-41.56E
14-26.99N 120-46.72E
14-26.99N 120-48.62E
14-28.18N 120-51.44E
14-26.79N 120-52.01E
14-25.79N 120-49.93E
14-20.97N 120-45.33E.

NAVPHIL 401/23

ODIONGAN BAY.

BATIANO PT.

CHART 1544.

LIGHTBUOY 12-24.93N 121-59.43E DAMAGED
AND TEMPORARILY REMOVED.

NAVPHIL 402/23

SULU SEA

BROOKE'S PT AND PESCADO PT, SE.

CHART 4707(INT 5052).

LIGHTS

08-46.30N 117-49.60E

08-58.05N 118-02.63E UNLIT.

NAVPHIL 403/23

SURIGAO STRAIT.

BINIT PT, S.

CHART 1519.

LIGHTBOUY 09-54.85N 125-17.65E DAMAGED
AND TEMPORARILY REMOVED.

NAVPHIL 411/23

TABLAS STRAIT.

CORCUERA PT, W.

CHART 1543.

LIGHT 12-48N 122-01E UNLIT.

NAVPHIL 412/23

BISUCAY CHANNEL.

DABUNAN PT, W.

CHART 1551.

LIGHTBUOY 10-49.52N 120-59.46E UNLIT.

NAVPHIL 414/23

BASILAN STRAIT.

ISABELA CHANNEL.

CHART 1528.

GEOTECHNICAL INVESTIGATION IN

PROGRESS ALONG LINE JOINING:

06-43.06N 121-58.37E

06-42.76N 121-58.70E.

VI NAVIGATIONAL WARNINGS

NAVPHIL 416/23

MANILA BAY.

SAN NICHOLAS SHOAL.

CHART 4706 (INT 5051).

GEOTECHNICAL INVESTIGATION BY BARGE
SY 607, 319.02 TONS AND
MTUG ASC REMY, 133.56 TONS, IN
PROGRESS IN AREA BOUNDED BY:

14-23.31N 120-46.09E

14-23.22N 120-48.20E

14-23.94N 120-48.92E

14-24.69N 120-49.66E

14-26.14N 120-49.79E

14-26.21N 120-46.56E

14-23.76N 120-44.16E

14-23.27N 120-44.29E

14-22.90N 120-44.41E.

WIDE BERTH REQUESTED.

NAVPHIL 417/23

LUZON SEA.

SAN FELIPE, WEST.

CHART 4705 (INT 5050).

SAND EXTRACTION OPERATIONS BY
VARIOUS VESSELS IN PROGRESS IN
AREA BOUNDED BY:

15-02.28N 120-03.30E

15-02.18N 120-03.36E

15-02.13N 120-02.97E

15-02.24N 120-02.91E.

NAVPHIL 002/24

LUZON SEA.

CHART 4726A.

SUBMARINE CABLE SURVEY BY MB JOVEL II-
820, 26 TONS, IN
PROGRESS UNTIL 29 FEB 2024 IN AREA
BOUNDED BY:

14-04.07N 120-37.51E

14-03.95N 120-37.06E

14-03.95N 120-36.98E

14-04.19N 120-36.78E

14-04.23N 120-36.74E

14-04.27N 120-36.64E

14-04.56N 120-34.68E

14-04.81N 120-34.32E

14-05.08N 120-34.21E

14-12.10N 120-22.96E

14-33.89N 119-56.74E

14-40.63N 119-53.14E

14-45.48N 119-52.71E

14-48.98N 119-53.53E

14-52.37N 119-55.35E

14-58.76N 120-01.65E

15-01.67N 120-01.99E

15-02.62N 120-02.26E

15-03.65N 120-03.46E,

WIDE BERTH REQUESTED.

CANCEL THIS MESSAGE 01 MAR 24.

NAVPHIL 004/24

MANANIOY BAY.

MIATOC PT, S.

CHART 1506.

MAHATAO LIGHT 20-24N 121-57E, 0733,
UNLIT.

NAVPHIL 005/24

LAGUNA DE BAY.

CHART 4230.

TANAY LIGHTS UNLIT:

A. 14-29.5N 121-16.9E, 0593

B. 14-30.0N 121-16.7E, F2672.9.

NAPINDAN LIGHT 14-31N 121-07E, F2650,
UNLIT.

NAVPHIL 010/24

SULU SEA.

SALKULAKIT I, E.

CHART 1528.

GUNNERY EXERCISES ON 23 TO 29 FEB IN
AREA BOUNDED BY:

06-41.68N 121-23.35E

06-41.73N 121-28.39E

06-36.63N 121-28.36E

06-36.61N 121-23.25E.

CANCEL THIS MSG ON 01 MAR 24.

NAVPHIL 011/24

SIBUYAN SEA.

SAN FERNANDO, SOUTH.

CHART 1541.

SAN FERNANDO LIGHT 12-17N 122-38E,
F2511.8, UNLIT.

NAVPHIL 013/24

LUZON SEA

CHART 4705(INT 5050).

SUBMARINE CABLE SURVEY IN PROGRESS
UNTIL 29 FEB 2024

ALONG LINES JOINING:

A. 15-53.07N 119-53.56E

15-53.02N 119-53.42E

15-53.01N 119-53.33E

15-53.62N 119-52.16E

15-54.20N 119-49.06E

15-57.63N 119-38.34E

16-03.51N 119-35.82E

16-10.65N 119-35.48E

16-20.46N 119-37.32E

16-25.47N 119-40.39E

16-51.07N 120-10.98E

16-51.67N 120-13.12E

16-52.03N 120-20.94E

16-51.62N 120-22.70E,

B. 16-51.62N 120-22.70E

16-53.73N 120-20.63E

16-54.86N 120-20.10E

16-57.60N 120-20.16E

VI NAVIGATIONAL WARNINGS

17-03.99N 120-23.03E
17-07.96N 120-23.25E
17-13.72N 120-22.42E
17-24.86N 120-24.81E
17-27.03N 120-24.52E
17-29.45N 120-22.45E
17-37.38N 120-12.05E
17-39.35N 120-11.65E
17-42.75N 120-12.08E
17-51.51N 120-14.97E
17-54.27N 120-17.33E
17-57.36N 120-24.72E
17-57.62N 120-28.48E.

WIDE BERTH REQUESTED.

CANCEL THIS MESSAGE 01 MAR 24.

NAVPHIL 014/24

LINGAYEN GULF.

CHART 4705 (INT 5050).

GUNNERY EXERCISE ON 24 TO 31 JAN 24 IN
AREA BOUNDED BY:
16-16.03N 120-10.84E
16-14.18N 120-10.27E
16-15.58N 120-12.93E
16-13.51N 120-12.34E.

CANCEL THIS MESSAGE ON 01 FEB 24.

NAVPHIL 015/24

WEST PHILIPPINE SEA.

CHART 2200.

CABLE LAYING BY CS FU HAI, 6,303 TONS,
COMMENCING 29 JAN

2024 ALONG LINE JOINING:

18-15.21N 116-33.24E
18-22.26N 116-43.53E
18-21.25N 116-53.85E
18-20.66N 116-58.68E
18-25.18N 117-14.96E
18-31.21N 117-26.04E
18-37.15N 117-29.61E
18-47.35N 117-45.34E
19-01.64N 118-30.05E
19-22.36N 119-07.69E
19-23.43N 119-15.95E
19-22.61N 119-20.17E
19-20.32N 119-23.60E
19-19.10N 119-28.04E
19-19.58N 119-33.64E
19-27.50N 120-03.49E.

WIDE BERTH REQUESTED.

NAVPHIL 017/24

LUZON SEA.

CHART 4705(INT 5050).

SUBMARINE CABLE SURVEY IN PROGRESS
UNTIL 29 FEB 2024 ALONG LINES
JOINING:

A. 17-57.62N 120-28.48E 17-57.81N 120-27.96E
17-59.30N 120-26.57E 18-06.80N 120-22.21E

18-08.12N 120-21.79E 18-14.87N 120-22.13E
18-29.51N 120-25.16E 18-35.32N 120-29.34E
18-41.56N 120-39.81E 18-42.41N 120-43.83E
18-42.74N 120-58.07E 18-39.73N 121-04.27E
18-39.07N 121-04.59E 18-36.39N 121-04.03E,
B. 18-36.39N 121-04.03E 18-39.79N 121-06.01E
18-40.50N 121-07.13E 18-41.04N 121-09.23E
18-40.83N 121-14.38E 18-39.86N 121-17.96E
18-38.28N 121-20.74E 18-30.73N 121-29.24E
18-29.19N 121-30.25E 18-26.56N 121-30.69E.
WIDE BERTH REQUESTED.
CANCEL THIS MESSAGE 01 MAR 24.

NAVPHIL 018/24

TABLAS STRAIT.

MARINDUQUE.

CHART 1543.

GUNNERY EXERCISE ON 05-07 FEB IN AREA
BOUNDED BY:

13-26.05N 121-32.29E
13 17.90N 121-33.00E
13-25.89N 121-40.55E
13-17.90N 121-41.80E.

CANCEL THIS MESSAGE ON 08 FEB 24.

NAVPHIL 019/24

SIBUYAN SEA.

BURIAS I, W.

CHART 1541.

GUNNERY EXERCISE ON 01 TO 07 FEB 24 IN
AREA BOUNDED BY:

12-59.36N 122-47.70E
12-59.42N 122-57.93E
12-49.29N 122-57.99E
12-49.38N 122-47.70E

CANCEL THIS MESSAGE ON 08 FEB 24.

VII

PUBLICATION NOTICES

1. Newly published and updated nautical Chart

- a. Chart 1549 – The Passages Between Panay, Negros and Cebu
Scale 1:150 000, 2nd Edition, 11 December 2023
 - b. Chart 1553 – Apo West Pass to Linapacan Island
Scale 1:150 000, 2nd Edition, 11 December 2023
 - c. Chart 1561 – Malapackun Island to Camungyan Island
Scale 1:150 000, 2nd Edition, 12 December 2023
2. Mariners are requested to notify the Hydrography Branch, NAMRIA of any changes or discrepancies found on Nautical charts and Nautical publications issued by this office, especially if this affects navigational safety in Philippine Waters. The reported information may be sent using the Hydrographic Note or the Hydrographic Note for Port Information, which are on the succeeding pages.

Reports may be sent through the following means:

Mail: NAMRIA - Hydrography Branch, 421 Barraca St San Nicolas, Manila 1010
Email: maritime.affairs@namria.gov.ph and maritime.concerns@gmail.com
Fax: (+632) 8242-2955
Onsite: <http://namria.gov.ph/omsis/HNote10.aspx>



HYDROGRAPHIC NOTE

NAMRIA-HNC-Form10 Rev01

SENDER INFORMATION

Reference Number			<input type="checkbox"/> Tick box if not willing to be named as source of this information	
Name of ship or sender				
	Name	Signature	IMO Number	Date
Address of sender				
E-mail Address			Telephone/ Mobile No.	

INSTRUCTIONS (At the back)

Subject			
General Locality			
Position:	Latitude	Longitude	
Position fixing system used		Datum	
Charts affected		Edition	
ENCs affected			
Latest Notice to Mariners held			
Nautical Publications affected (Edition No.)			
Details of anomaly or observation			

A replacement copy of Chart No. _____ is required (see Instruction 4).

INSTRUCTIONS

1. Mariners are requested to notify the Hydrography Branch of the National Mapping and Resource Information Authority (NAMRIA) when new or suspected dangers to navigation are discovered, changes observed in aids to navigation, or corrections to publications that are seen to be necessary. Mariners can also report any ENC display issues experienced.
2. This form and its instructions have been designed to help both the sender and the recipient. It should be used, or followed, closely, whenever appropriate. Copies of this form may be obtained gratis from the Hydrography Branch at 421 Barraca St., San Nicolas, Manila, or by requesting thru email at maritime.affairs@namria.gov.ph.
3. **Position:** When a position is defined by sextant angles or bearings (true or magnetic being specified) more than two should be used in order to provide a check. Distances observed by radar should be quoted. However, when there is a series of fixes along a ship's course, only the method of fixing and the objects used need to be indicated. Latitude and longitude should only be used specifically to position the details when they have been fixed by astronomical observations or GPS and a full description of the method, equipment and datum used should be given.
4. **Paper Charts:** A cutting from the largest scale paper chart is the best medium for forwarding details, the alterations and additions being shown thereon in red. When requested, a new copy will be sent in replacement of a chart that has been used to forward information, or when extensive observations have involved defacement of the observer's chart. If it is preferred to show the amendments on a tracing of the largest scale chart (rather than the chart itself) these should be in red as above, but adequate detail from the chart must be traced in black ink to enable the amendments to be fitted correctly.
5. **Soundings:** When soundings are obtained, it is important to ensure that full details of the method of collection are included in this report. This include but no limited to:
 - a. Make, model, and type of echo sounder used.
 - b. Whether the echo sounder is set to register depths below the surface or below the keel; in the latter case the vessel's draught should be given.
 - c. Time, date and time zone should be given in order that corrections for the height of the tide may be made where necessary, or a statement made as to what corrections for tide have already been made.
 - d. Where larger amounts of bathymetric data have been gathered, only those areas where a significant difference to the current chart or ENC should be specifically mentioned on the H102. The full data set may also be sent in, with an additional note added to this effect. If no

significant differences are noted, the bathymetric data may still be of use, and sent in accordingly. Where full data sets are included, a note as to the data owner and their willingness for the data to be incorporated into charts and ENCs included.

5. **For Echo Sounders that use electronic 'range gating',** care should be taken that the correct range scale and appropriate gate width are in use. Older electro-mechanical echo sounders frequently record signals from echoes received back after one or more rotations of the stylus have been completed. Thus, with a set whose maximum range is 500m, an echo recorded at 50m may be from depths of 50m, 550m or even 1050m. Soundings recorded beyond the set's nominal range can usually be recognized by the following:
 - a. the trace being weaker than normal for the depth recorded;
 - b. the trace passing through the transmission line;
 - c. the feathery nature of the trace.
- As a check that apparently shoal soundings are not due to echoes received beyond the set's nominal range, soundings should be continued until reasonable agreement with charted soundings is reached. However, soundings received after one or more rotations of the stylus can still be useful and should be submitted if they show significant differences from charted depths.
6. **Reports which cannot be confirmed or are lacking in certain details should not be withheld.** Shortcomings should be stressed and any firm expectation of being able to check the information on a succeeding voyage should be mentioned.
7. Changes to Port Information should be forwarded using Hydrographic Note for Port Information. Where there is insufficient space on the forms additional sheets should be used.
8. Reports using this form and relevant data should be sent either through mail at NAMRIA-Hydrography Branch, 421 Barraca St., San Nicolas, Manila or through email at maritime.affairs@namria.gov.com and maritime.concerns@gmail.com.

An acknowledgement or receipt will be sent and the information then used to the best advantage which may mean immediate action or inclusion in a revision in due course; for these purposes, the UKHO may make reproductions of any material supplied. When a Notice to Mariners is issued, the sender's ship or name is quoted as authority unless (as sometimes happens) the information is also received from other authorities or the sender states that they do not want to be named by using the appropriate tick box on the form. An explanation of the use made of contributions from all parts of the world would be too great a task and a further communication should only be expected when the information is of outstanding value or has unusual features.



HYDROGRAPHIC NOTE FOR PORT INFORMATION

NAMRIA-HNC-Form11 Rev01

Page ____ of ____

NOTES

1. This form lists the information required for Philippine Coast Pilot and has been designed to help the sender and the recipient. The sections should be used as an aide-memoir, being used or followed closely, whenever appropriate. Where there is insufficient space on the form an additional sheet should be used.
2. **Reports which cannot be confirmed or are lacking in certain details should Not be withheld.** Shortcomings should be stressed and any firm expectation of being able to check the information on a succeeding voyage should be mentioned.
3. **DATA PRIVACY STATEMENT:** NAMRIA values your right to data privacy. We are committed to be faithful stewards in safeguarding your personal and sensitive information under the Data Privacy Act of 2012 (RA 10173). We ask for your personal information and email addresses on our Hydrographic Notes so we can confirm receiving the Note. We do Not use your information in any way other than in the furtherance of our vision and mission as Philippines Hydrographic Office.

Reference Number

(to be filled out by NAMRIA personnel)

OBSERVER/REPORTER INFORMATION

				<input type="checkbox"/> Tick box if not willing to be Named as source of this information
Name of Observer/Reporter		Signature		
Name of ship or Office		IMO Number		Date
Address of sender				
E-mail Address	Telephone/ Mobile No.			

Name of Port			
Approximate Position	Latitude		Longitude
Port Authority Name and contact details			
General Remarks <ul style="list-style-type: none">Principal activities and trade.Latest population figures and date.Number of ships or tonnage handled per year.Maximum size of vessel handled.Copy of Port Handbook (<i>if available</i>).			
Berthing Facility <ul style="list-style-type: none">Type (L-pier, T-pier, wharf, etc.)Names, Numbers or positions & lengths.Depths alongside.			
Storage Facility <ul style="list-style-type: none">Area of open storage area and warehouseExistence of reefer facilities, cold storage, and special storage facilities.			
Anchorages Position, designation, depths, holding ground, shelter afforded.			
Pilotage <ul style="list-style-type: none">Authority for requests.Pilot boarding position.Regulations (compulsory or not).Name of pilot association and contact details.			



HYDROGRAPHIC NOTE FOR PORT INFORMATION

NAMRIA-HNC-Form11 Rev01

Page ____ of ____

Tugs <ul style="list-style-type: none">• Number available.• Name of tug operator and contact details	
Directions <ul style="list-style-type: none">• Entry and berthing information.• Tidal streams.• Navigational aids.	
Small Craft Facility Name of yacht club, contact No email address.	
Cargo Handling Containers, lighters, Ro-Ro etc.	
Repairs <ul style="list-style-type: none">• Hull, machinery and underwater.• Shipyards.• Docking or slipping facilities.• <i>(Give size of vessels handled or dimensions)</i>• Divers.	
Rescue and Distress <ul style="list-style-type: none">• Salvage, Lifeboat, Coastguard, etc.• Name of Nearest Coast Guard station and contact details.	
Supplies <ul style="list-style-type: none">• Fuel (with type, quantities and methods of delivery)• Fresh water (with method of delivery and rate of supply)• Provisions.	
Services <ul style="list-style-type: none">• Medical.• Ship Sanitation.• Garbage and slops.• Ship chandlery, tank cleaning, compass adjustment, hull painting.	
Communications <ul style="list-style-type: none">• Nearest airport or airfield.• Port radio and information service. (with frequencies and hours of operating)	
Government Services <ul style="list-style-type: none">• Customs• Quarantine• Plant and Animal Quarantine• Immigration	
Local Situation <ul style="list-style-type: none">• Health facilities (nearest hospitals, clinics, health centers)• Banks and money remittance facilities	
Views Photographs (where permitted) of the approaches, leading marks, the entrance to the harbour etc.	
Additional Details:	

Nautical Charts, Topographic Maps, Tide and Current Tables, and related publications are available for sale at the NAMRIA Map Sales Offices (MSO):

Region	Address	MSO STAFF	Phone/Fax
Main	Lawton Avenue, Fort Andres Bonifacio, Taguig City	Dante A. Rosette, Jr. Rina Grace G. Gersalia Ana Victoria A. Labor Sheilah Mae G. Lopez Marlon Y. Aguilar	(02) 8810-4831 to 42 loc 431 (02) 8810-5467 0956 5587584 0915 2777903
NCR	421 Barraca Street, San Nicolas, Binondo, Manila	SN3 Marilou B. Cinco Romeo B. Brizuela Mary Jane M. Montano	(02) 8245-9498 (02) 8241-3494 loc 117 0966 8523814 0921 3627524
NCR	FMB Building DENR Compound, Visayas Avenue, Quezon City	Sherry Ann S. Perez Glenn M. De Jesus	0999 6079193 0928 4497159
I	DENR Government Center, Sevilla City of San Fernando, La Union	Temporarily Closed	
II	DENR-Land Evaluation Party Building II, Brgy. Carig, Tuguegarao City	Temporarily Closed	
III	DENR Compound, Diosdado Macapagal Gov't. Center. Maipis City, San Fernando, Pampanga	Rosalina M. Libunao	0991 3509756
IVA	Provincial Planning and Development Office, Capitol Complex, Batangas City	Engr. Leda P. Velasquez	0961 4552583
IVB	DENR-PENRO Santa Monica, Puerto Princesa City	Juvy B. Sarmiento Corazon L. Zeñarosa	0916 203 8041
V	DENR-Operation/Survey Division, Rizal Street, Sagpon, Legaspi City, Albay	Isabelita T. Climaco	09198944613
VI	Manuel Lagunilla Bldg., DENR Compound, Parola, Iloilo City	Temporarily Closed	
VII	DENR-CENRO Building, Arellano Boulevard corner V. Sotto Street Pier 3, Cebu City	Melchor Togonon Renato B. Alcontin, Jr.	0922 7910372 0931 0010341 0961 4552579
VIII	DENR Compound, Santo Niño Extension, Tacloban City	Temporarily Closed	
IX	Pres. Corazon C. Aquino Regional Government Center, Balintawak, Pagadian City, Zamboanga Del Sur	Lucero A. Santillan	0935 5962917
IX	DENR CENRO, West General Vicente Alvarez St., Zone 4, Zamboanga City	Annette P. Flores	0955 8928777 0961 4552574
X	DENR Building Macabalan, Cagayan de Oro City, Misamis Oriental	Jennifer D. Bagamaspad	0966 8524887

XI	Kilometer 7, SPED Road, Bangkal, Davao City	<i>Temporarily Closed</i>	
XII	3rd Floor, DENR Building Land Evaluation Survey Section, Aurora Street, Barangay Zone IV Koronadal City, South Cotabato	Jeanyluz B. Bautista	0909 9324745
CARAGA	DENR - Land Management Services Building, Ambago, Butuan City, Agusan del Norte	Maricar E. Siega	0948 3619452